



# Crop Report

## Crop Report for June 15, 2008

Producers in central and southern Saskatchewan received much needed rain this past week according to Saskatchewan Agriculture's weekly crop report.

Average rainfall, as tracked by the provincial crop reporters, was recorded for the following areas: southwest – 75 mm, southeast – 63 mm, east central – 49 mm, west central – 26 mm, northeast – 14 mm and northwest – 7 mm.

Fall cereal crops are reported to be at least 60 per cent in good to excellent condition provincially, with 47 per cent of the crops at, or ahead of normal development for this time of year. Over 60 per cent of spring cereal crops are in good to excellent condition, with 34 per cent of the crops at, or ahead of normal development. Flax and canola crops are

reported to be 60 and 48 per cent in good to excellent condition respectively, and 30 per cent are at, or ahead of normal development. Pulse crops are over 60 per cent in good to excellent condition, with 43 per cent reported to be at, or ahead of normal development for this time of year. Warmer temperatures are needed to improve crop development.

Topsoil moisture conditions on crop land improved during the past week. Reporters rated 77 per cent of crop land and 74 per cent of hay and pasture land as having adequate topsoil moisture.

Haying operations on the 2008 crop are just getting underway, with less than one per cent cut. Warm weather is needed to help move haying operations along.

Flooding was the main source of crop damage during the past week. Other sources included gophers, insects (flea beetles and cutworms), drought, frost, hail, wind and leaf disease.

*For further information contact:  
Terry Bedard, P.Ag.  
Agricultural Economist  
Policy Branch  
Ministry of Agriculture  
306-787-5956*

*Available on the Ministry of  
Agriculture Internet site at:  
[www.agriculture.gov.sk.ca](http://www.agriculture.gov.sk.ca)*

***Please let us know if you no longer need to receive a printed copy.***

### SK Crop Development - June 15, 2008

	% Ahead	% Normal	% Behind
Fall Cereals	3	44	53
Spring Cereals	1	33	66
Oilseeds	1	29	70
Pulse Crops	1	42	57

### 1 Year Ago

Topsoil moisture conditions deteriorated as a result of heavy rains in some areas. Both the amount of land with surplus moisture and with short moisture increased.

The main source of crop damage was flooding.

Delays in spraying caused concerns for farmers.

### Saskatchewan Crop Conditions, June 15, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale		
% excellent	6	10	7	12	5	6	20		
% good	54	64	58	60	60	59	67		
% fair	27	19	31	26	31	32	10		
% poor	11	6	3	2	3	3	3		
% very poor	2	1	1	0	1	0	0		
	Flax	Canola	Mustard	Sun- flower	Lentil	Pea	Canary Seed	Chick- pea	
% excellent	6	3	4	0	10	10	4	7	
% good	54	45	53	65	55	60	59	68	
% fair	34	39	34	32	33	27	30	23	
% poor	6	10	8	3	2	3	7	2	
% very poor	0	3	1	0	0	0	0	0	

### Southeast Saskatchewan Crop Conditions, June 15, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale		
% excellent	6	10	9	18	8	7	0		
% good	56	58	61	54	61	62	100		
% fair	24	22	26	25	28	28	0		
% poor	13	7	3	2	2	2	0		
% very poor	1	3	1	1	1	1	0		
	Flax	Canola	Mustard	Sun- flower	Lentil	Pea	Canary Seed	Chick- pea	
% excellent	10	7	8	0	19	15	5	21	
% good	50	37	40	73	42	53	58	48	
% fair	35	47	42	27	37	29	29	28	
% poor	5	7	5	0	1	3	7	3	
% very poor	0	2	5	0	1	0	1	0	

### South eastern Saskatchewan (Crop Districts 1, 2, & 3ase)

The south eastern region was cool and wet during the past week. An average of 63 mm of precipitation was reported, ranging from an average low of 52 mm reported in Crop District (CD) 2b, to an average high of 73 mm reported in CD 1. Over 90 mm was reported in Moosomin area. Flooding caused some crop damage in all areas. In the Moosomin area, creeks were running more heavily than in the spring. There was a bit of hail in the Radville area on June 14<sup>th</sup>. Most reporters commented on the need for warmer temperatures to move

crop progress ahead more quickly.

Topsoil moisture conditions on cropland improved from last week, with 87% of crop land rated as having adequate topsoil moisture, compared with 60% last week. Conditions were also better on hay and pasture land with 94% rated as having adequate topsoil moisture, compared to 47% last week. For the first time this season, there are some areas of surplus moisture in the southeast.

In addition to flooding, insects and disease were the main source of crop damage during the past week. Flea beetle damage

was reported in the Montmartre area. Cutworms and tan spot damaged crops in the Weyburn area. Leaf disease was reported in the Moosomin area. Gophers caused crop damage in the Minton area. In the Frobisher area, some crops were turning yellow due to stress from the cool, wet weather.

Windy, wet weather slowed spraying operations last week. There are heavy infestations of wild oats and millet in the Whitewood area, as well as some fields with a lot of gopher mounds. Weed pressure is also starting to show in the Weyburn area. Hay crops are expected to have below average yields across the region.

**SE SK Crop Development - June 15, 2008**

	% Ahead	% Normal	% Behind
Fall Cereals	12	43	45
Spring Cereals	3	31	66
Oilseeds	1	28	71
Pulse Crops	1	41	58

**Southwest Saskatchewan Crop Conditions, June 15, 2008**

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale		
% excellent	13	15	16	13	8	15	26		
% good	41	69	67	66	72	65	74		
% fair	20	11	17	20	20	19	0		
% poor	25	5	0	1	0	1	0		
% very poor	1	0	0	0	0	0	0		
	Flax	Canola	Mustard	Sun- flower n/a	Lentil	Pea	Canary Seed	Chick- pea	
% excellent	2	2	4		5	15	5	0	
% good	76	63	66		68	62	68	80	
% fair	22	28	23		24	20	22	19	
% poor	0	7	7		3	3	5	1	
% very poor	0	0	0		0	0	0	0	

**South western Saskatchewan (CDs 3asw, 3an, 3b, & 4)**

The week was generally cool, windy and wet in the southwest. An average of 75 mm of precipitation was reported, ranging from an average low of 66 mm reported in CD 3an, to an average high of 92 mm reported in CD 3bs. Over 100 mm was reported in the Viceroy, Mankota, Ponteix, Webb, and Gouldtown areas. Damage from flooding in low spots was reported in several areas. There

was some hail damage in the Rockglen area.

Topsoil moisture conditions on cropland generally improved from last week, with 88% of the crop land and 93% of the hay and pasture land rating adequate for topsoil moisture. For the first time this season, there are some areas of surplus moisture in the southwest.

Gophers were one of the main sources of crop damage during the past week. Cutworms

damaged crops in the Viceroy and Blumenhof areas. Weed pressure is high and farmers are hoping to get back to spraying operations with a return to warm, dry weather.

Haying operations are just getting underway with some cutting in CD 4b. Yields are expected to be below average across the region.

The rain helped raise dugout levels.

**SW SK Crop Development - June 15, 2008**

	% Ahead	% Normal	% Behind
Fall Cereals	1	48	51
Spring Cereals	1	36	63
Oilseeds	0	36	64
Pulse Crops	0	42	58

**East Central Saskatchewan Crop Conditions, June 15, 2008**

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale		
% excellent	3	1	3	0	6	4	0		
% good	56	66	64	58	64	62	90		
% fair	36	29	30	38	29	31	10		
% poor	5	4	3	4	1	3	0		
% very poor	0	0	0	0	0	0	0		
	Flax	Canola	Mustard	Sun- flower	Lentil	Pea	Canary Seed	Chick- pea	
% excellent	1	3	0	0	5	5	4	0	
% good	59	44	44	40	53	63	56	59	
% fair	33	40	43	60	36	29	35	41	
% poor	7	12	13	0	6	3	5	0	
% very poor	0	1	0	0	0	0	0	0	

**East central Saskatchewan  
(Crop Districts 5 & 6a)**

The east central region was cool with showers and some strong winds during the past week. An average of 49 mm of precipitation was reported, ranging from an average low of 39 mm reported in CD 5b, to an average high of 57 mm reported in CD 5a. Over 90 mm was reported in the Humboldt area. Crop damage from flooding was reported across the region. Wind damage was reported in the Jedburgh and Leroy areas. Frost damage was reported from the Foam Lake area, but it is not expected to have much of an impact on the crop.

Reporters rated 90% of the crop land as having adequate topsoil moisture, up from 59% last week. Hay and pasture land moisture ratings show 92% having adequate topsoil moisture, compared with 47% last week.

Damage from flea beetles was reported in the Jedburgh, Foam Lake, Preeceville, Quill Lake, and Lumsden areas. Cutworm damage was reported in the Leroy area. Gophers caused crop damage in the Lumsden area.

Some hay cutting has started in CD 6a. A return to warmer weather is sought to

bring pastures and hay crops along. Hay yields are expected to be down in the east central region this year.

With recent moisture, warmer weather will help ungerminated seeds to sprout and emerge. The cold weather has been hard on the crops. Canola fields in particular are showing slow growth and spotty emergence. Some crops in the Leroy area are a yellow-green colour from the cool, damp weather.

Spraying operations are behind and weed pressures are building.

**EC SK Crop Development - June 15, 2008**

	% Ahead	% Normal	% Behind
Fall Cereals	0	30	70
Spring Cereals	0	21	79
Oilseeds	0	14	86
Pulse Crops	1	33	66

### West Central Saskatchewan Crop Conditions, June 15, 2008

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale		
% excellent	1	4	3	6	4	4	0		
% good	30	48	51	45	42	51	11		
% fair	62	36	40	42	43	37	68		
% poor	4	8	6	7	11	8	21		
% very poor	3	4	0	0	0	0	0		
	Flax	Canola	Mustard	Sun- flower	Lentil	Pea	Canary Seed	Chick- pea	
% excellent	1	3	6	0	5	5	1	0	
% good	49	45	48	0	57	61	52	44	
% fair	43	39	39	70	37	32	38	29	
% poor	6	10	7	30	1	2	9	14	
% very poor	1	3	0	0	0	0	0	13	

### West central Saskatchewan (Crop Districts 6b & 7)

The west central region had windy and cool weather with some showers during the past week. An average of 26 mm of precipitation was reported, ranging from an average low of 21 mm reported in CD 7a, to an average high of 29 mm reported in CD 7b. Over 100 mm was reported in the Denzil area. The

majority of the crop damage that occurred was due to dry soil conditions. Some wind damage was reported in the Harris area, and some hail damage was reported in the Biggar area.

Reporters rated 65% of crop land as having adequate topsoil moisture, compared with 36% last week. For hay and pasture land, 51% was rated as having adequate topsoil moisture,

compared with 16% last week. Some west central areas are short of moisture and need rain.

Recent rains will help germinate crops that have not yet emerged. Rapid weed growth will mean farmers will be busy spraying. Hay crops are short because of dry and cold weather and some stands will not be worth cutting.

### WC SK Crop Development - June 15, 2008

	% Ahead	% Normal	% Behind
Fall Cereals	3	44	53
Spring Cereals	0	35	65
Oilseeds	0	33	67
Pulse Crops	0	48	52

**Northeast Saskatchewan Crop Conditions, June 15, 2008**

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale		
% excellent	0	0	5	0	3	3	0		
% good	91	75	64	72	71	69	85		
% fair	9	22	30	25	25	27	15		
% poor	0	3	1	3	1	1	0		
% very poor	0	0	0	0	0	0	0		
	Flax	Canola	Mustard	Sun- flower n/a	Lentil	Pea	Canary Seed	Chick- pea n/a	
% excellent	1	2	0		0	6	8		
% good	57	68	69		45	76	78		
% fair	38	26	27		46	16	13		
% poor	4	4	4		9	2	1		
% very poor	0	0	0		0	0	0		

**North eastern Saskatchewan  
(Crop Districts 8 & 9ae)**

The north eastern region had cool weather with showers in some areas this past week. An average of 14 mm of precipitation was reported, ranging from an average low of 9 mm reported in CD 9ae, to an average high of 17 mm reported in CD 8b. Over 30 mm was reported in the Vonda area. Crop damage from frost was reported in the Arborfield and Nipawin areas.

Topsoil moisture conditions on cropland improved a little this past week, with 68% of the land rated as having adequate topsoil moisture, compared with 56% last week. Reporters rate 63% of the hay and pasture land as having adequate topsoil moisture, up from 55% last week. Several parts of the region still need rain to help the crops, hay, and pasture, and all areas need

warmer temperatures.

Flea beetles were reported in the Vonda area.

The hay crops are expected to be short this year. Spraying continues around the wind and the showers. Some patchy canola was reseeded to barley in the Alvena area.

**NE SK Crop Development - June 15, 2008**

	% Ahead	% Normal	% Behind
Fall Cereals	0	75	25
Spring Cereals	0	60	40
Oilseeds	0	55	45
Pulse Crops	0	65	35

**Northwest Saskatchewan Crop Conditions, June 15, 2008**

	Winter Wheat	Fall Rye	Spring Wheat	Durum	Oat	Barley	Triticale		
% excellent	9	17	3	n/a	0	1	n/a		
% good	25	42	38		38	26			
% fair	17	38	47		48	60			
% poor	4	3	7		10	9			
% very poor	45	0	5		4	4			
	Flax	Canola	Mustard	Sun- flower	Lentil	Pea	Canary Seed	Chick- pea	
% excellent	0	0	n/a	n/a	n/a	3	0	n/a	
% good	36	16				42	100		
% fair	64	54				48	0		
% poor	0	19				2	0		
% very poor	0	11				5	0		

**North western Saskatchewan  
(Crop Districts 9aw & 9b)**

The north western region saw some showers during the past week, as well as winds and cool weather. An average of 7 mm of precipitation was reported, ranging from an average low of 3 mm reported in CD 9aw, to an average high of 10 mm reported in CD 9b. Over 30 mm was reported in the Neilburg area. Several areas reported crop damage from lack of rainfall. Frost damage was reported

in the Hafford area. Wind damage was reported in the Dorintosh area.

Twenty-eight per cent of crop land is rated as having adequate topsoil moisture, compared to 24% last week. Nineteen per cent of hay and pasture land was rated as having adequate topsoil moisture, compared with 22% last week.

Flea beetle damage was reported in the Duck Lake and Turtleford areas. Gopher dam-

age was reported in the Pierceland area.

There are crops that haven't germinated yet, and farmers are wondering if those crops will develop. Some crops have been worked up due to lack of moisture. Pastures and hay crops are in very poor condition.

Spraying operations are underway – for both weeds and flea beetles.

**NW SK Crop Development - June 15, 2008**

	% Ahead	% Normal	% Behind
Fall Cereals	8	46	46
Spring Cereals	3	28	69
Oilseeds	2	28	70
Pulse Crops	4	33	63

## Growing Degree Days Above 5°C

calculations based on temperatures given by crop reporters

R.M.	Since April 1	Jun 8-14	Total
3	279	49.5	328.5
17A	281.5	40	321.5
38B	298 *	55	353
43A	307.65	39.15	346.8
44	274	34.5	308.5
67	213.5 *	50	263.5
68	365.4	61.8	427.2
72	252.55	35.25	287.8
73B	243.5	32	275.5
75B	289.7 *	45	334.7
76A	351.85		351.85
78A	242	34	276
97	278.685	55.1	333.785
111A	348.1	47.5	395.6
123	196	39.5	235.5
124	193.6 *	41.5	235.1
127	254.5 *	43.75	298.25
132	255 *	35.5	290.5
138	356	35.5	391.5
141	303.85 *	53.75	357.6
142	375.5	54.5	430
151B	199.85	55.1	254.95
166	314.5 *	46	360.5
167	242 *	41	283
185	224.9 *	57.3	282.2
186	177 *	45	222
190B	310.2 *	54.55	364.75
193	326.75	50	376.75
221	268.4 *	46.9	315.3
246	205.65	46	251.65
271	185.5	49.5	235
276	159.5 *	44	203.5
277	232.4 *	43.95	276.35
283	268.7 *	46.9	315.6
285	325.3	55.15	380.45
287	250.5 *	41	291.5
312	248.25	42.7	290.95
318A	268.5	54.5	323
336	209.5 *	57.5	267
339	225.75	46.5	272.25
340A	228 *	45.5	273.5
343	306.55	76.4	382.95
370	274	49.5	323.5
379	247.35 *	60.65	308
397	193	39.25	232.25
428	250	49.5	299.5
429B	210.5 *	51.5	262
442	261	54.5	315.5
456	162	37.5	199.5
488	328.35	50.2	378.55
496	254.5	65	319.5
502	262.5	68	330.5

\* incomplete

A degree day is defined as a measure of the departure of temperature for a day from some reference temperature.

They are expressed in degrees of temperature.

For plant growth, a base of 5°C is generally used, although the base varies for each plant species and, in fact, varies throughout the life of the plant from germination to maturity. By accumulating degree days throughout the growing season, it is possible to forecast harvesting dates.



# Weekly Rainfall Summary

(in millimeters)

for the week ending June 14, 2008

Crop Municipality	Past	Since	Crop Municipality	Past	Since	Crop Municipality	Past	Since
Dist. No. Name	Week	April 1	Dist. No. Name	Week	April 1	Dist. No. Name	Week	April 1
1A 1 Argyle	N/A	85 *	107 Lac Pelletier	93	173	314 Dundurn	38	70
2 Mount Pleasant	61	144	108 Bone Creek	89	225	344 Cormack Park	18	42
3 Enniskillen	64	153	138 Webb	103	213	345 Vanscoy	19	44
33 A Moose Creek	N/A	60 *	165 Morse	110	165	346 Perdue	18	58
33 B Moose Creek	82	138	166 Excelsior	92	149	376 A Eagle Creek	16	59
34 Browning	N/A	48 *	167 Sask. Landing	62	156	376 B Eagle Creek	11	58
61 Antler	86	189	168 Riverside	73	200	403 Rosthern	2	58
64 Brock	73	116	226 Victory	37	75	259 Snipe Lake	25	109
65 Tecumseh	N/A	36 *	228 A Lacadena	41	112	287 St. Andrews	14	72
1B 91 Maryfield	91	171	228 B Lacadena	39	115	288 Pleasant Valley	22	72
92 Walpole	73	134	255 Coteau	N/A	17 *	292 Milton	32	119
93 Wawken	78	126	4A 49 White Valley	62	167	317 A Marriott	20	69
94 Hazelwood	81	141	49 A White Valley	48	154	317 B Marriott	8	37
95 Golden West	63	93	51 Reno	48	139	318 A Mountain View	34	107
121 Moosomin	85	168	79 Arlington	82	185	318 B Mountain View	8	53
122 Martin	85	148	109 Carmichael	92	213	320 Oakdale	23	128
123 Silverwood	63	110	110 Piapot	70	177	321 Prairiedale	23	100
124 Kingsley	74	124	111 A Maple Creek	56	168	347 A Biggar	10	59
125 Chester	50	76	111 B Maple Creek	75	178	347 B Biggar	10	51
151 A Rocanville	71	148	4B 139 Gull Lake	60	136	350 A Mariposa	40	87
151 B Rocanville	62	127	141 Big Stick	81	217	350 B Mariposa	20	68
153 Willowdale	79	128	142 Enterprise	86	191	351 Progress	38	108
154 Elcapo	83	115	169 Pittville	70	143	352 Heart's Hill	20	150
2A 155 Wolseley	60	92	231 Happyland	49	172	377 Glenside	14	55
36 Cymri	46	98	232 Deer Forks	57	146	378 A Rosemount	11	56
66 Griffin	51	100	5A 183 Fertile Belt	N/A	74 *	378 B Rosemount	7	81
67 Weyburn	52	104	184 Grayson	67	117	379 Reford	9	67
68 Brokenshell	48	103	185 McLeod	61	92	380 Tramping Lake	26	75
69 Norton	71	134	186 Abernethy	68	111	381 Grass Lake	58	137
96 Fillmore	56	88	211 Churchbridge	61	76	382 Eye Hill	109	190
97 Wellington	50	77	213 Saltcoats	63	88	409 Buffalo	7	64
99 Caledonia	68	106	216 A Tullymet	52	94	410 Round Valley	57	122
2B 126 Montmartre	46	72	216 B Tullymet	40	98	411 Senlac	N/A	91 *
127 Francis	38	77	241 Calder	36	57	395 Porcupine	N/A	69 *
129 Bratt's Lake	47	71	243 Wallace	N/A	15 *	397 Barrier Valley	13	63
131 Baildon	49	100	245 A Garry	67	112	398 Pleasantdale	15	45
156 A Indian Head	49	96	245 B Garry	69	123	428 Star City	16	64
157 South Qu'appelle	51	81	246 Ituna Bon Accord	45	95	456 Arborfield	10	52
158 Edenwold	58	104	247 Kellross	54	93	457 Connaught	8	41
160 Pense	50	127	248 Touchwood	55	92	458 Willow Creek	12	48
161 Moose Jaw	59	124	5B 271 Cote	30	67	486 Moose Range	5	31
191 Marquis	72	120	273 Sliding Hills	N/A	12 *	487 Nipawin	18	56
3ASE 9 Surprise Valley	52	106	275 Insinger	40	83	8B 369 St. Peter	13	51
38 A Laurier	52	137	276 Foam Lake	42	93	370 Humboldt	29	56
38 B Laurier	65	121	277 Emerald	60	92	371 Bayne	N/A	47 *
39 A The Gap	57	129	304 Buchanan	45	67	372 Grant	31	72
39 B The Gap	56	107	307 Elfros	60	117	373 Aberdeen	N/A	22 *
3ASW 10 Happy Valley	58	114	308 Big Quill	30	73	400 Three Lakes	N/A	10 *
12 Poplar Valley	57	108	333 Clayton	N/A	40 *	402 Fish Creek	5	46
40 Bengough	74	137	335 Hazel Dell	52	110	429 A Flett's Springs	15	34
42 Willow Bunch	68	142	336 Sasman	40	87	429 B Flett's Springs	13	43
43 A Old Post	65	163	337 Lakeview	30	94	431 St. Louis	9	36
43 B Old Post	N/A	69 *	338 Lakeside	38	102	459 Kinistino	18	36
44 Waverley	73	143	366 Kelvington	24	90	488 Torch River	12	69
70 Key West	77	154	367 B Ponass Lake	20	81	520 Paddockwood	6	38
71 A Excel	82	152	6A 189 Lumsden	76	143	9AW 406 Mayfield	4	57
71 B Excel	80	158	190 A Dufferin	71	100	435 Redberry	8	54
71 C Excel	101	177	190 B Dufferin	57	104	436 Douglas	3	41
72 Lake Of The Rivers	76	154	190 C Dufferin	78	117	463 Duck Lake	5	62
73 A Stonehenge	91	169	219 B Longlaketon	80	122	464 Leask	2	87
73 B Stonehenge	76	182	219 C Longlaketon	49	100	466 Meeting Lake	1	50
3AN 101 Terrell	86	145	220 Mckillop	52	100	467 Round Hill	NIL	63
102 Lake Johnston	52	116	221 Sarnia	42	120	493 Shellbrook	N/A	38 *
103 Sutton	92	166	222 Craik	N/A	64 *	494 Canwood	1	31
132 Hillsborough	49	120	251 Big Arm	46	105	496 Spiritwood	NIL	53
134 Shamrock	63	170	252 Arm River	46	92	497 Medstead	N/A	56 *
164 Chaplin	66	147	279 A Mount Hope	N/A	44 *	555 Big River	N/A	38 *
193 Eyebrow	64	120	279 B Mount Hope	44	81	438 Battle River	N/A	58 *
194 Enfield	56	106	280 Wreford	42	79	440 Hillsdale	37	119
3BS 17 A Val Marie	78	188	282 Mccraney	40	82	442 Manitou Lake	21	91
17 B Val Marie	54	130	309 Prairie Rose	52	109	498 A Parkdale	1	68
45 Mankota	140	207	312 Morris	30	75	498 B Parkdale	NIL	81
75 A Pinto Creek	81	166	313 Lost River	28	71	499 Mervin	20	92
75 B Pinto Creek	93	156	339 Leroy	39	104	501 A Frenchman Butte	N/A	82 *
76 A Auvergne	85	163	340 A Wolverine	35	87	501 B Frenchman Butte	12	68
76 B Auvergne	118	217	340 B Wolverine	97	142	501 C Frenchman Butte	N/A	76 *
77 Wise Creek	97	199	341 Viscount	25	58	502 Britannia	23	98
78 A Grassy Creek	92	234	343 Blucher	40	68	561 Loon Lake	N/A	46 *
78 B Grassy Creek	85	187	283 Rosedale	45	81	588 A Meadow Lake	NIL	29
78 C Grassy Creek	80	219	284 Rudy	50	81	588 B Meadow Lake	3	42
105 Glenbain	98	183	285 Fertile Valley	32	73	588 C Meadow Lake	NIL	48
106 Whiska Creek	96	182	286 Milden	34	66	588 D Meadow Lake	NIL	35
						622 Beaver River	2	44



These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R.M.

\* incomplete

Municipality No: A, B, C, and D - more than one reporter

# Weekly Rainfall for the week ending June 14, 2008



## Rainfall (mm)



# Cumulative Rainfall

From: April 1, 2008  
To: June 14, 2008

## Rainfall (mm)



# Crop Districts and Rural Municipalities

