

Crop Report for July 10, 2005

Hot weather helped improve crop conditions and further crop development stages, according to Saskatchewan Agriculture and Food's weekly crop report.

Topsoil moisture conditions improved from last week with areas of surplus moisture being reduced on hay, pasture and crop land.

Regarding crop development stages, crop reporters estimate that spring cereals are 25 per cent heading. Flax crops are 21 per cent flowering; canola and mustard crops are at 70 per cent flowering; and pulse crops are at 64 per cent flowering. Fall cereal crops are 43 per cent at the dough stage.

Haying operations are making progress in and around weather delays. Six per cent of the first cut hay crop has been baled or put into silage, and an additional 19 per cent has been cut. The progress is similar to the same time period in 2004.

Diseases were the main source of crop damage, and fungicide application was underway in many areas. Other factors causing crop damage include flooding, hail, insects, wind, and gophers.

Haying operations are making progress in and around weather delays. Six per cent of the first cut hay crop has been baled or put into silage, and an additional 19 per cent has been cut. The progress is similar to where we were in 2004.

*For further information contact:
Terry Bedard, P.Ag.
Agricultural Economist
Policy Branch
Saskatchewan Agriculture and Food
306-787-5956
e-mail: policybranch@agr.gov.sk.ca*

*Available on the SAF Internet site at:
www.agr.gov.sk.ca*

Please let us know if you no longer need to receive a hard copy.

1 Year Ago

Hot weather improved crop conditions, but crop development remained behind normal.

Insects were the main source of crop damage.

Six per cent of the first cut hay crop had been baled or silaged.

Saskatchewan Crop Insurance

Saskatchewan Crop Insurance reminds customers of upcoming July deadlines.

Minimum summerfallow coverage requirements for the crop year must be met and maintained on green manure crops in the brown and dark brown soil zones by July 11 and in the black and gray soil zones by July 25.

Organic producers have until July 15 to qualify for the Organic Reseeding Benefit. If you are an organic producer and are considering working under and reseeding your crop due to excessive weeds, contact your customer service office or visit www.saskcropinsurance.com for more information.

Now that you have reported your seeded acres, you will soon receive your statement of insurance. The statement of insurance lists your insured crops, total number of acres, production guarantee, premium and applicable premium discounts or surcharges. Examine your statement carefully as it is your responsibility to report any errors or omissions immediately upon receipt.

**Saskatchewan Crop Development
(per cent at each stage)**

| Cereals | emerge | tillering | jointed | shot blade | heading | soft dough |
|--------------------|---------------|------------------|----------------|-------------------|----------------|-------------------|
| 5 yr. Avg. (98-02) | 0 | 4 | 16 | 39 | 38 | 3 |
| Jul 10/05 | 1 | 8 | 22 | 44 | 25 | 0 |
| -southeast | 1 | 11 | 20 | 34 | 34 | 0 |
| -southwest | 0 | 2 | 18 | 52 | 28 | 0 |
| -east central | 1 | 9 | 22 | 41 | 27 | 0 |
| -west central | 0 | 8 | 30 | 49 | 13 | 0 |
| -northeast | 2 | 8 | 21 | 44 | 25 | 0 |
| -northwest | 0 | 12 | 18 | 49 | 21 | 0 |

| Flax | pre-emerge | emerge | vegetative | stem ext | flowering |
|--------------------|-------------------|---------------|-------------------|-----------------|------------------|
| 5 yr. Avg. (98-02) | 0 | 0 | 14 | 57 | 27 |
| Jul 10/05 | 0 | 1 | 16 | 62 | 21 |
| -southeast | 0 | 0 | 19 | 58 | 23 |
| -southwest | 3 | 1 | 7 | 51 | 38 |
| -east central | 0 | 1 | 17 | 64 | 18 |
| -west central | 0 | 2 | 10 | 79 | 9 |
| -northeast | 0 | 2 | 10 | 75 | 13 |
| -northwest | 0 | 0 | 15 | 79 | 6 |

| Canola & Mustard | emerge | seedling | rosette | flowering | podding |
|-----------------------------|---------------|-----------------|----------------|------------------|----------------|
| 5 yr. Avg. (98-02) | 1 | 5 | 31 | 58 | 5 |
| Jul 10/05 | 0 | 4 | 24 | 70 | 2 |
| -southeast | 0 | 3 | 20 | 72 | 5 |
| -southwest | 0 | 0 | 9 | 85 | 6 |
| -east central | 0 | 5 | 24 | 70 | 1 |
| -west central | 0 | 2 | 26 | 71 | 1 |
| -northeast | 0 | 9 | 28 | 62 | 1 |
| -northwest | 0 | 2 | 29 | 69 | 0 |

| Pulse crops | emerge | vegetative | flowering | podding |
|--------------------|---------------|-------------------|------------------|----------------|
| 5 yr. Avg. (98-02) | 1 | 31 | 59 | 10 |
| Jul 10/05 | 1 | 29 | 64 | 6 |
| -southeast | 1 | 31 | 65 | 3 |
| -southwest | 0 | 22 | 63 | 15 |
| -east central | 1 | 21 | 75 | 3 |
| -west central | 1 | 40 | 58 | 1 |
| -northeast | 3 | 36 | 59 | 2 |
| -northwest | 0 | 26 | 69 | 5 |

| Fall crops | shot blade | heading | dough | ripe |
|--------------------|-------------------|----------------|--------------|-------------|
| 5 yr. Avg. (98-02) | 3 | 38 | 53 | 5 |
| Jul 10/05 | 2 | 55 | 43 | 0 |
| -southeast | 3 | 56 | 41 | 0 |
| -southwest | 1 | 45 | 54 | 0 |
| -east central | 3 | 71 | 25 | 1 |
| -west central | 3 | 41 | 56 | 0 |
| -northeast | 4 | 64 | 32 | 0 |
| -northwest | 0 | 54 | 46 | 0 |

South eastern Saskatchewan (Crop Districts 1, 2, & 3ase)

The south eastern region was cool at the beginning of last week and then turned hot and humid. An average of 10 mm of precipitation was reported during the past week, ranging from an average low of 1 mm reported in Crop District (CD) 1a, to an average high of 23 mm reported in CD 1b. Damage from flooding and hail was reported in CDs 1, 2b, and 3ase. Heat damage was reported in CD 2a. Wind damage, including lodging, was reported in CDs 1b and 2. A tornado went through CD 1a.

Spring cereal development in the southeast is 34% at the heading stage, on average the furthest advanced in the province. Flax crops are 23% at the flowering stage. Canola and mustard crops are 77% at or beyond the flowering stage. Pulse crops are 68% at or beyond the flowering stage. Fall cereal crops are 41% at the dough stage.

Topsoil moisture conditions on cropland improved with drying of some of the surplus moisture. Seventy per cent of reporters rated topsoil moisture as adequate compared with 40% last week. Conditions also improved on hay and pasture land with 82% of reporters rating topsoil moisture as adequate compared to 62% last week.

Insect damage included bertha armyworms (CDs 1b, 3ase), diamondback moth larva (CDs 1b, 2, 3ase), and wheat midge (CD 2b). Leaf disease on crops, including tan spot and glume blotch, was reported in CDs 1b, 2, and 3ase. Ascochyta blight was reported in CDs 2b and 3ase. Fungicide spraying is taking place as the weather and field conditions permit. Gopher damage was reported in CD 3ase, and.

Haying operations made some progress in the southeast last week. Five per cent has been baled or silaged, and a further 12% has been cut. Quality is generally expected to be good to excellent. That could change if swathed hay is unable to be harvested in a timely fashion.

South western Saskatchewan (CDs 3asw, 3an, 3b, & 4)

The southwest was sunny and warm last week. An average of 3 mm of precipitation was reported during the past week, ranging from an average low of 1 mm reported in CD 4a, to an average high of 4 mm reported in CD 3an. Residual damage from flooding was reported in CDs 3asw and 3bn. Hail damage was reported in CDs 3asw, 3bn, and 4a, with localized areas up to 100% damaged. Wind and drought damage were reported in CD 3bs.

Spring cereal development in the southwest is 28% at the heading stage. Flax crops are 38% at the flowering stage, on average the furthest advanced in the province. Canola and mustard crops are 91% at or beyond the flowering stage, also on average the furthest advanced in the province. Pulse crops are 78% at or beyond the flowering stage, on average tied with the east central for furthest advanced in the province. Fall cereal crops are 41% at the dough stage.

Topsoil moisture conditions on cropland changed, with 84% of reporters rating topsoil moisture as adequate, compared with 76% last week. The area reported as surplus decreased, but the area reported as short increased. Conditions were similar on hay and pasture land with 82% of reporters rating topsoil moisture as adequate and a decrease in the surplus category, but an increase in the short category. Some reporters would like to see some rain shortly to alleviate the short moisture conditions.

Disease pressure caused the most crop damage in the southwest last week. Diseases reported include ascochyta blight (CDs 3asw, 3an, 3b, 4b), anthracnose (CDs 3asw, 3an, 3bn), tan spot (CDs 3asw, 3an, 3bn), rust (CD 3bs), root rot (CD 3bn), and sclerotinia (CD 3bn). Fungicide spraying is underway. There are localized shortages of some fungicides for lentils. Gophers

continue to cause crop damage in CD 3bs. Flea beetles caused damage in CDs 3bn and 4a, while diamondback moth larvae caused damage in CD 4a.

Haying operations are progressing in the southwest with 7% baled or silaged and a further 21% cut. Quality is expected to be good to excellent, though is decreasing with the late cut.

East central Saskatchewan (Crop Districts 5 & 6a)

The east central area was warm and humid last week with some thundershowers. An average of 13 mm of precipitation was reported during the past week, ranging from an average low of 7 mm reported in CD 5a, to an average high of 19 mm reported in CD 5b. Seventy millimeters was reported near Canora. The Foam Lake area saw hail and rainfall of up to 125 mm. Flooding damage was reported across the region. Some areas expect 5 to 10% loss from drowning. Damage from hail was reported in CD 5b, with estimates of up to 25%. Wind damage was reported in CD 5a.

Spring cereal development in the east central region is 27% at the heading stage. Flax crops are 18% at the flowering stage. Canola and mustard crops are 71% at or beyond the flowering stage. Pulse crops are 78% at or beyond the flowering stage, on average, tied with the southwest for the furthest advanced in the province. Fall cereal crops are 26% at the heading stage, on average the least advanced in the province.

Topsoil moisture conditions on cropland improved, with 23% of reporters rating topsoil moisture as surplus, compared with 53% last week. Conditions also improved on hay and pasture land with 84% of reporters rating topsoil moisture as adequate compared to 73% last week.

Insect damage included flea beetles (CD 5a), bertha armyworms

(CD 5), and diamondback moth larvae (CD 6a). Some insecticide applications took place. Sclerotinia was reported in CDs 5a and 6a, leaf diseases, including tan spot and net blotch, in all CDs in the region, black leg, rust, and anthracnose in CD 6a. Some fungicide applications took place. Gopher damage was reported in CD 5a.

Haying operations are progressing with 4% baled or silaged and a further 15% cut. Quality is generally expected to be good. Haying is slow due to the rain and high humidity – the swaths are not curing as fast as they should.

West central Saskatchewan (Crop Districts 6b & 7)

The west central region was warm and humid this past week. An average of 11 mm of precipitation was reported during the past week, ranging from an average low of 5 mm reported in CD 7a, to an average high of 19 mm reported in CD 6b. Flooding damage was reported in CDs 6b and 7b. Damage from wind was reported in CD 7b. Hail damage was reported in CD 6b.

Spring cereal development in the west central region is 13% at the heading stage, on average the least advanced in the province. Flax crops are 9% at the flowering stage. Canola and mustard crops are 72% at the flowering stage. Pulse crops are 59% at or beyond the flowering stage. Fall cereal crops are 56% at the dough stage, on average the most advanced in the province.

Topsoil moisture conditions on cropland improved, with drying of some of the surplus moisture. Eighty-two per cent of reporters rated topsoil moisture as adequate compared with 56% last week. Conditions also improved on hay and pasture land with 90% of reporters rating topsoil moisture as adequate compared to 71% last week. Rain is needed in some areas of CD 7.

Leaf disease, sclerotinia, and ascochyta blight were reported in

CDs 6b and 7b. Fungicide applications are underway. Diamondback moth larvae were reported in CD 7b. Crops were rotting from being wet in CD 7b. Some crops in low lying areas have been drowned out.

Cutting and baling the 2005 hay crop is progressing with 7% baled or silaged, and a further 33% cut. Quality is generally expected to be good to excellent.

North eastern Saskatchewan (Crop Districts 8 & 9ae)

The north eastern region was sunny and warm this past week. An average of 18 mm of precipitation was reported during the past week, ranging from an average low of 13 mm reported in CD 8a, to an average high of 23 mm reported in CD 8b. Damage from flooding was reported across the region. Hail damage was reported in CD 8b. Hail the previous week in CD 9ae caused almost 100% damage to some crops.

Spring cereal development in the northeast is 25% at the heading stage. Flax crops are 13% at the flowering stage. Canola and mustard crops are 63% at or beyond the flowering stage, on average the least advanced in the province. Pulse crops are 61% at or beyond the flowering stage, on average the least advanced in the province. Fall cereal crops are 32% at the dough stage.

Topsoil moisture conditions on cropland improved as some surplus areas dried up. Eighty-two per cent of reporters rated topsoil moisture as adequate, compared to 52% last week. Conditions also improved on hay and pasture land with 95% of reporters rating topsoil moisture as adequate compared to 78% last week. Rain will be needed in some areas if the temperatures continue to be high.

Wire worms, aphids, and leaf diseases were reported in CD 8b.

Fungicide applications are underway.

Haying progress in the northeast has 9% of the 2005 crop baled or silaged, and a further 24% cut. Quality is generally expected to be good. Grass hay is becoming quite advanced.

North western Saskatchewan (Crop Districts 9aw & 9b)

The north western region was warmer last week. An average of 12 mm of precipitation was reported during the past week, ranging from an average low of 9 mm reported in CD 9b, to an average high of 17 mm reported in CD 9aw. Localized flooding and hail damage, including lodging, was reported in CD 9b. Wind damage was reported in areas across the region.

Spring cereal development in the northwest is 21% at the heading stage. Flax crops are 6% at the flowering stage, on average the least advanced in the province. Canola and mustard crops are 69% at the flowering stage. Pulse crops are 74% at or beyond the flowering stage. Fall cereal crops are 46% at the dough stage.



Topsoil moisture conditions on cropland improved last week as some land dried. Ninety-two per cent of reporters rated topsoil moisture as adequate, compared to 80% last week. Conditions also improved on hay and pasture land with 96% of reporters rating topsoil moisture as adequate compared to 92% last week.

Bertha armyworms, flea beetles, grasshoppers, and sclerotinia were reported in CD 9b damage in CD 9b. Insecticides and fungicides are being applied. Gopher damage to crops was reported in CD 9aw.

Haying operations are underway in the northwest with 8% of the crop baled or silaged and 23% of the crop cut. Quality is expected to be good.

Crop Land Topsoil Moisture Conditions July 10, 2005

Moisture Conditions



Weekly Rainfall Summary

(in millimeters)

for the week ending July 9, 2005

| Crop Municipality | | | Past | Since | Crop Municipality | | | Past | Since | Crop Municipality | | | Past | Since |
|-------------------|-------|------------------|------|---------|-------------------|-------|------------------|------|---------|-------------------|-------|-----------------|------|---------|
| Dist. | No. | Name | Week | April 1 | Dist. | No. | Name | Week | April 1 | Dist. | No. | Name | Week | April 1 |
| 1A | 1 | Argyle | TR | 217 | | 226 | Victory | 7 | 270 | | 403 | Rosthern | 23 | 210 |
| | 2 | Mount Pleasant | NIL | 255 | | 228 A | Lacadena | NIL | 205 | | 404 | Laird | 22 | 188 |
| | 3 B | Enniskillen | 3 | 287 | | 228 B | Lacadena | NIL | 234 | 7A | 259 | Snipe Lake | 1 | 220 |
| | 31 | Storthoaks | NIL | 251 | | 256 | King George | 11 | 264 | | 260 | Newcombe | 8 | 176 |
| | 33 A | Moose Creek | NIL | 295 | 4A | 19 | Frontier | 1 | 311 | | 287 | St. Andrews | 5 | 286 |
| | 34 | Browning | NIL | 230 | | 49 A | White Valley | NIL | 148 | | 288 | Pleasant Valley | 11 | 267 |
| | 35 | Benson | 2 | 274 | | 49 B | White Valley | NIL | 227 | | 290 | Kindersley | NIL | 200 |
| | 63 A | Moose Mountain | 2 | 210 | | 51 | Reno | 0 | 136 | | 292 | Milton | 2 | 209 |
| | 63 B | Moose Mountain | 2 | 207 | | 79 | Arlington | 4 | 132 | | 318 A | Mountain View | 15 | 202 |
| | 64 | Brock | 2 | 267 | | 110 | Piapot | NIL | 248 | | 318 B | Mountain View | 11 | 253 |
| | 65 | Tecumseh | NIL | 280 | | 111 A | Maple Creek | NIL | 250 | | 319 | Winslow | 3 | 194 |
| 1B | 92 | Walpole | 17 | 193 | | 111 B | Maple Creek | NIL | 253 | | 321 | Prairiedale | NIL | 203 |
| | 94 | Hazelwood | 7 | 261 | 4B | 139 | Gull Lake | 2 | 201 | | 322 | Antelope Park | 3 | 199 |
| | 95 | Golden West | 20 | 232 | | 141 | Big Stick | 2 | 222 | 7B | 347 A | Biggar | 7 | 208 |
| | 123 | Silverwood | 47 | 301 | | 142 | Enterprise | NIL | 261 | | 347 B | Biggar | 4 | 203 |
| | 124 | Kingsley | 19 | 248 | | 169 | Pittville | 2 | 191 | | 350 A | Mariposa | NIL | 166 |
| | 125 | Chester | 6 | 163 | | 171 | Fox Valley | NIL | 248 | | 350 B | Mariposa | 4 | 157 |
| | 151 A | Rocanville | 40 | 341 | | 229 | Miry Creek | NIL | 193 | | 351 | Progress | 2 | 193 |
| | 151 B | Rocanville | 23 | 295 | | 231 | Happyland | 11 | 250 | | 352 | Heart's Hill | 5 | 270 |
| | 153 | Willowdale | 20 | 221 | | 232 | Deer Forks | NIL | 231 | | 377 A | Glenside | 6 | 232 |
| | 155 | Wolseley | 29 | 292 | 5A | 152 | Spy Hill | 17 | 222 | | 378 A | Rosemount | NIL | 190 |
| 2A | 36 | Cymri | 4 | 280 | | 181 | Langenburg | 4 | 252 | | 378 B | Rosemount | 6 | 209 |
| | 67 | Weyburn | 8 | 193 | | 183 | Fertile Belt | 8 | 269 | | 379 | Reford | 10 | 218 |
| | 68 | Brokenshell | 3 | 190 | | 184 C | Grayson | 5 | 224 | | 380 A | Tramping Lake | 12 | 174 |
| | 96 | Fillmore | 8 | 240 | | 185 | McLeod | 10 | 296 | | 380 B | Tramping Lake | NIL | 222 |
| | 97 | Wellington | 5 | 191 | | 186 | Abernethy | 17 | 225 | | 382 | Eye Hill | 20 | 277 |
| | 99 | Caledonia | 6 | 256 | | 187 | North Qu'appelle | 11 | 173 | | 409 | Buffalo | 12 | 187 |
| 2B | 126 | Montmartre | 5 | 210 | | 211 | Churchbridge | 4 | 294 | | 410 | Round Valley | 32 | 228 |
| | 127 | Francis | 13 | 238 | | 213 | Saltcoats | 5 | 233 | | 411 | Senlac | 14 | 211 |
| | 128 | Lajord | 17 | 132 | | 214 | Cana | NIL | 274 | 8A | 397 | Barrier Valley | 18 | 217 |
| | 131 | Baildon | 4 | 250 | | 241 | Calder | 5 | 319 | | 398 | Pleasantdale | 43 | 250 |
| | 156 A | Indian Head | 9 | 276 | | 243 | Wallace | NIL | 274 | | 428 | Star City | 39 | 262 |
| | 156 B | Indian Head | 13 | 246 | | 245 A | Garry | 5 | 224 | | 456 | Arborfield | 8 | 216 |
| | 157 | South Qu'appelle | 27 | 293 | | 245 B | Garry | 4 | 239 | | 457 A | Connaught | NIL | 152 |
| | 158 | Edenwald | 18 | 167 | | 246 | Ituna Bon Accord | 10 | 276 | | 457 B | Connaught | 6 | 128 |
| | 160 | Pense | 10 | 139 | | 247 | Kellross | 10 | 250 | | 458 | Willow Creek | NIL | 164 |
| | 161 | Moose Jaw | 12 | 185 | | 248 | Touchwood | NIL | 171 | | 486 | Moose Range | NIL | 130 |
| | 191 | Marquis | 10 | 222 | 5B | 271 | Cote | 3 | 274 | | 487 | Nipawin | NIL | 126 |
| 3ASE | 8 | Lake Alma | NIL | 206 | | 276 | Foam Lake | 38 | 270 | 8B | 370 | Humboldt | 24 | 225 |
| | 9 | Surprise Valley | 8 | 187 | | 277 | Emerald | 19 | 215 | | 372 | Grant | 13 | 203 |
| | 38 A | Laurier | 17 | 247 | | 303 | Keys | 70 | 269 | | 373 A | Aberdeen | 13 | 205 |
| | 38 B | Laurier | 3 | 214 | | 307 | Elfros | 10 | 200 | | 373 B | Aberdeen | 15 | 105* |
| | 39 A | The Gap | 4 | 156 | | 308 | Big Quill | 14 | 210 | | 399 | Lake Lenore | 36 | 282 |
| | 39 B | The Gap | 4 | 203 | | 335 | Hazel Dell | 7 | 255 | | 400 | Three Lakes | 3 | 204 |
| 3ASW | 10 | Happy Valley | 5 | 174 | | 336 | Sasman | 4 | 196 | | 402 | Fish Creek | 16 | 225 |
| | 12 | Poplar Valley | 6 | 144 | | 337 | Lakeview | 12 | 190 | | 429 A | Flett's Springs | 51 | 286 |
| | 40 | Bengough | 10 | 196 | | 338 | Lakeside | 22 | 162 | | 429 B | Flett's Springs | 57 | 235 |
| | 42 | Willow Bunch | NIL | 189 | | 366 A | Kelvington | 18 | 151 | | 430 | Invergordon | 8 | 186 |
| | 43 A | Old Post | 8 | 190 | | 366 B | Kelvington | 17 | 170 | | 431 A | St. Louis | 24 | 171 |
| | 43 B | Old Post | 1 | 169 | | 367 | Ponass Lake | 9 | 211 | | 459 | Kinistino | 12 | 211 |
| | 44 | Waverley | NIL | 156 | 6A | 189 | Lumsden | 32 | 199 | 9AE | 461 | Prince Albert | 36 | 181 |
| | 71 A | Excel | NIL | 189 | | 190 A | Dufferin | 27 | 163 | | 520 A | Paddockwood | NIL | 25* |
| | 71 B | Excel | 5 | 158 | | 190 B | Dufferin | 17 | 162 | 9AW | 406 | Mayfield | 14 | 210 |
| | 71 C | Excel | 3 | 134 | | 190 C | Dufferin | 13 | 158 | | 435 | Redberry | 55 | 220 |
| | 73 A | Stonehenge | NIL | 168 | | 220 | Mckillop | 17 | 148 | | 436 | Douglas | 16 | 173 |
| | 73 B | Stonehenge | 4 | 175 | | 221 | Sarnia | 14 | 193 | | 463 | Duck Lake | 49 | 228 |
| 3AN | 101 A | Terrell | NIL | 120 | | 251 | Big Arm | 17 | 265 | | 467 | Round Hill | 4 | 183 |
| | 101 B | Terrell | 1 | 184 | | 252 | Arm River | 5 | 190 | | 493 | Shellbrook | 6 | 120 |
| | 102 | Lake Johnston | 10 | 182 | | 279 A | Mount Hope | 20 | 175 | | 494 | Canwood | 3 | 142 |
| | 103 | Sutton | NIL | 179 | | 279 B | Mount Hope | 35 | 258 | | 496 | Spiritwood | 9 | 182 |
| | 132 | Hillsborough | 2 | 136 | | 282 | Mccraney | 4 | 242 | | 497 | Medstead | 1 | 174 |
| | 164 | Chaplin | 3 | 164 | | 309 | Prairie Rose | 13 | 175 | | 555 | Big River | 11 | 256 |
| | 193 | Eyebrow | 8 | 214 | | 312 | Morris | 2 | 158 | 9B | 438 A | Battle River | 11 | 234 |
| | 194 | Enfield | 12 | 187 | | 313 | Lost River | 6 | 149 | | 438 B | Battle River | 21 | 185 |
| 3BS | 45 | Mankota | 3 | 118 | | 339 A | Leroy | 8 | 141 | | 468 A | Meota | 11 | 204 |
| | 46 A | Glen Mcpherson | 3 | 130 | | 339 B | Leroy | 15 | 148 | | 468 B | Meota | 8 | 226 |
| | 75 A | Pinto Creek | 3 | 115 | | 340 A | Wolverine | 22 | 179 | | 472 | Wilton | 4 | 244 |
| | 75 B | Pinto Creek | NIL | 126 | | 340 B | Wolverine | 20 | 193 | | 498 A | Parkdale | 19 | 155 |
| | 76 A | Auvergne | 1 | 97 | | 343 | Blucher | 5 | 139 | | 498 B | Parkdale | 2 | 181 |
| | 78 A | Grassy Creek | 1 | 174 | 6B | 254 | Loreburn | 25 | 255 | | 499 | Mervin | 3 | 250 |
| | 78 C | Grassy Creek | 2 | 160 | | 283 | Rosedale | 17 | 281 | | 501 A | Frenchman Butte | 10 | 212 |
| | 105 | Glenbain | 6 | 228 | | 284 | Rudy | 17 | 269 | | 501 B | Frenchman Butte | 2 | 187 |
| | 106 | Whiska Creek | 7 | 133 | | 285 | Fertile Valley | 9 | 300 | | 502 | Britannia | 2 | 212 |
| | 108 | Bone Creek | 1 | 204 | | 286 | Milden | NIL | 238 | | 561 | Loon Lake | 6 | 267 |
| 3BN | 136 | Coulee | NIL | 221 | | 314 | Dundurn | 20 | 255 | | 588 B | Meadow Lake | NIL | 230 |
| | 137 | Swift Current | NIL | 132 | | 344 | Corman Park | 26 | 214 | | 588 C | Meadow Lake | 27 | 237 |
| | 138 | Webb | 10 | 177 | | 345 | Vanscoy | 19 | 231 | | 588 D | Meadow Lake | 5 | 196 |
| | 166 | Excelsior | 1 | 239 | | 346 | Perdue | 15 | 227 | | 622 | Beaver River | 4 | 219 |
| | 167 | Sask. Landing | 4 | 218 | | 376 A | Eagle Creek | 25 | 231 | | | | | |
| | 225 | Canaan | 2 | 201 | | 376 B | Eagle Creek | 25 | 233 | | | | | |

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R.M.

* incomplete

Municipality No: A, B, C, and D - more than one reporter

Crop Districts and Rural Municipalities

