

## Crop Report for August 27, 2006

Good harvest progress was made during the past week, according to Saskatchewan Agriculture and Food's weekly crop report.

Thirty-seven per cent of the 2006 crop has been combined, and a further 33 per cent has been swathed or is ready to be straight combined. This is higher than the five-year (2001-2005) average of 18 per cent combined, and 20 per cent swathed or ready to straight combine.

Harvest operations are most advanced in the southwest where 71 per cent of the crop has been combined. Provincially, the winter wheat crop is 98 per cent combined, fall rye is 99 per cent combined, peas are 85 per cent combined, and lentils are 89 per cent combined. Yield estimates are holding relatively

steady. There were some reports of bleaching due to recent rains.

Insects, drought, and wind were the main sources of crop damage during the past week. Sawfly damage is being accelerated by strong winds pushing on the crops. Several areas received heavy hail damage.

Topsoil moisture conditions were similar to the previous week. Thirty-seven per cent of reporters rated conditions as adequate on crop land, and 31 per cent rated conditions as good on hay and pasture land.

There was a further deterioration in pasture conditions since the end of July, at which time 34 per cent of reporters rated pastures in good to excellent

condition. Currently 24 per cent of reporters rate pastures in good to excellent condition. The poorest rating for pasture conditions was reported in the southern part of the province, where some farmers have resorted to feeding their livestock. Eleven per cent of reporters rated livestock water supplies as inadequate, and a number of farmers are hauling water for their animals.

*For further information contact:*  
Terry Bedard, P.Ag.  
Agricultural Economist  
Policy Branch  
Saskatchewan Agriculture and Food  
306-787-5956  
e-mail: [policybranch@agr.gov.sk.ca](mailto:policybranch@agr.gov.sk.ca)

*Available on the SAF Internet site at:*  
[www.agr.gov.sk.ca](http://www.agr.gov.sk.ca)

*Please let us know if you no longer need to receive a printed copy.*

**Saskatchewan Harvest Progress at August 27, 2006**

	% In Swath or Ready to Str.Cmb.			% Combined		
	2006	2005	Average 2001-05	2006	2005	Average 2001-05
Winter wheat	1	25	15	98	62	59
Spring wheat	35	13	17	28	2	16
Durum	27	12	13	48	3	15
Oats	30	11	17	23	3	8
Barley	33	19	18	35	7	20
Fall rye	1	19	16	99	56	62
Triticale	10	16	18	74	3	19
Flax	9	2	3	3	0	1
Canola	59	44	43	27	4	9
Mustard	26	34	24	58	10	20
Sunflowers	0	0	0	0	0	0
Lentils	7	30	17	89	30	39
Peas	10	27	15	85	39	50
Canary seed	19	3	6	10	0	2
Chickpeas	16	8	5	44	7	9
<b>Total</b>	<b>33</b>	<b>21</b>	<b>20</b>	<b>37</b>	<b>8</b>	<b>18</b>

## 1 Year Ago

Many areas received additional rain, slowing harvest operations and impacting crop quality.

Eight per cent of the 2005 crop had been combined and a further 21% had been swathed or was ready to straight combine.

Insects, wind, and rain were the main sources of crop damage.

Pasture conditions had deteriorated from the end of July, and 59% of reporters rated pastures in good to excellent condition.

**South eastern Saskatchewan  
(Crop Districts 1, 2, & 3ase)**

<b>South eastern harvesting progress</b>		
	<b>% this week</b>	<b>% last week</b>
Winter wheat	97	97
Spring wheat	43	15
Durum	35	9
Oats	68	17
Barley	58	25
Fall rye	99	99
Triticale	25	2
Flax	5	2
Canola	46	23
Mustard	63	25
Sunflowers	0	0
Lentils	94	66
Peas	95	78
Canary seed	14	1
Chickpeas	64	53
<b>Total</b>	<b>47</b>	<b>24</b>

The south eastern region was generally warm and dry with some showers during the past week. An average of 6 mm of precipitation was reported, ranging from an average low of 4 mm reported in Crop District (CD) 3ase, to an average high of 8 mm, reported in CD 1. Wind and drought damage were reported across the region. Swaths were scattered and crops were lodged. Hail damage was reported in the Montmartre and Lake Alma areas.

Forty-seven per cent of the 2006 south eastern crop has been harvested and 27% is lying in the swath or is ready to be straight-combined. Ninety-seven per cent of the winter wheat, 99% of the fall rye, 94% of the lentils, 95% of the peas, 32% of the chickpeas, and 68% of the oats have been combined.

Some reporters indicate that they are finding better than expected yields, while others tell of

disappointing yields. Fall rye is expected to see the highest regional average yield in the southeast, while sunflowers are expected to see the lowest regional average yield. There are some excellent grades and protein levels being reported in the southeast.

Topsoil moisture conditions on cropland deteriorated slightly last week with 54% of reporters rating topsoil moisture as very short, compared with 46% last week. Conditions also deteriorated on hay and pasture land with 61% of reporters rating topsoil moisture as very short compared to 54% last week.

Insect damage this past week came from sawflies, bertha armyworms, flea beetles, and aphids. Reporters also expressed concern about bleaching in the Oxbow, Moosomin, Weyburn, and Montmartre areas.

Pasture conditions in the southeast are reported as good to excellent by 7% of reporters, down from 15% in late July. Two-thirds of reporters rate pasture conditions as poor to very poor. In the Indian Head area, cattle are being moved to an alternate source of feed or else feed is being supplemented on pasture.

Livestock water availability is rated as adequate by 77% of reporters, compared to 87% at the end of July. In the Ceylon area, about one-quarter of the livestock owners are hauling water to their stock.

Some straw baling is going on. In the Moose Jaw area, there were reports of a shortage of people to help with harvest. In the Minton area, many of the crops, especially chickpeas, are full of kochia weed.

**South western Saskatchewan  
(CDs 3asw, 3an, 3b, & 4)**

<b>South western harvesting progress</b>		
	<b>% this week</b>	<b>% last week</b>
Winter wheat	100	99
Spring wheat	68	36
Durum	61	26
Oats	68	39
Barley	77	47
Fall rye	100	99
Triticale	93	81
Flax	4	2
Canola	83	49
Mustard	88	69
Sunflowers	0	0
Lentils	95	86
Peas	98	95
Canary seed	16	3
Chickpeas	36	22
<b>Total</b>	<b>72</b>	<b>46</b>

In the southwest, the past week was generally hot and dry. An average of 1 mm of precipitation was reported during the past week, with the average high of 3 mm reported in CD 4. Wind damage, including lodging and scattering of swaths, was reported in most areas. Damage from drought was reported across the region. Wind damage was reported in CDs 3b and 4a. The winds blew over grain augers in the Leader and Burstall areas.

Seventy-two per cent of the 2006 south western crop has been harvested and a further 16% is lying in the swath or is ready to be straight-combined. Harvesting

of fall crops is complete. Other combining progress includes 98% of the peas, 95% of the lentils, 93% of the triticale, 88% of the mustard, and 83% of the canola.

Some reporters indicate that yields are from well above to well below average. Regional average yields of most crops are expected to be the lowest in the southwest. Quality concerns include spring wheat samples bleached in the Central Butte area and deer droppings in the swath in the Glenbain area.

Topsoil moisture conditions on cropland were reported as very short by 74% of reporters, compared with 71% last week. Conditions were about the same on hay and pasture land with 76% of reporters rating topsoil moisture as very short.

Sawflies caused crop damage. Gophers are damaging crops in CDs 3asw, 3bs, and 4a. Gopher holes are slowing and damaging equipment. Weeds in chickpeas are hindering harvest progress in the Viceroy area. Farmers also expressed concern about low bushel weights. Some crops were damaged by spray in the Limerick area.

Pasture conditions have deteriorated in the southwest. In late July, 12% of reporters rated pastures in good to excellent condition; this month, 6% give the same rating. Three-quarters of reporters rate pastures as poor to very poor. Some farmers are feeding cattle in the Assiniboia, Orkney, Gull Lake, and Stewart Valley areas.

Ninety per cent of reporters indicate that livestock water supplies are adequate. Dugouts are drying up in the Lisieux, Viceroy, and Shaunavon areas.

Some farmers are summerfallowing and finding the ground very hard. Some are starting to haul bales.

### East central Saskatchewan (Crop Districts 5 & 6a)

East central harvesting progress		
	% this week	% last week
Winter wheat	99	87
Spring wheat	15	4
Durum	15	1
Oats	12	1
Barley	26	7
Fall rye	97	87
Triticale	76	73
Flax	1	0
Canola	20	6
Mustard	18	7
Sunflowers	0	0
Lentils	76	38
Peas	71	46
Canary seed	1	1
Chickpeas	32	9
<b>Total</b>	<b>23</b>	<b>9</b>

The east central region was warm with some showers and storms last week. An average of 9 mm of precipitation was reported during the past week, ranging from an average low of 3 mm reported in CD 6a to an average high of 15 mm reported in CD 5a. Over 50 mm was reported in the Goodeve area, along with hail up to the size of quarters. Damage estimates were up to 75% in that area. Up to baseball size hail was reported in the Ituna area with damage estimates up to 100%. In the Stockhom area, some spots had 75 to 125 mm of rain. Some got up to

75 mm of rain in the Langenburg area. Wind, hail, and drought damage were reported across the region. In the Neudorf area, hail damage was estimated to be about 10% in the northern third of RM 185. Hail damaged a wide swath from Kelliher to Melville. In the Kuroki area, the lightning was so bright on the evening of the 23<sup>rd</sup>, you barely needed lights on the tractor. Wind damage included shelling out of ripe crops and relocation of swaths.

Twenty-three per cent of the 2006 east central crop has been combined and a further 42% is lying in the swath or is ready to be straight-combined. Fall crops are furthest ahead with 97% of the fall rye and 99% of the winter wheat crops combined. Seventy-one per cent of the peas and 76% of the lentils and triticale have been harvested.

Regional average yields of winter wheat, sunflowers, and chickpeas are expected to be the highest in the province while east central triticale yields are expected to be the lowest.

Topsoil moisture conditions on cropland improved, with 37% of reporters rating topsoil moisture as adequate, compared with 32% last week. Conditions also improved on hay and pasture land with 28% of reporters rating topsoil moisture as adequate compared to 23% last week.

Insect damage came from sawflies, wheat midge, flea beetles, aphids, and bertha armyworms. In the Langenburg area, there is some

downgrading to wheat because of wheat midge damage. Several reporters commented that damage from wheat midge is worse than expected.

Pasture conditions have deteriorated in the last month. At the end of July, 50% of east central reporters rated pastures as good to excellent – at the end of August, 21% make that rating. All reporters rate livestock water supplies as adequate.

Winter wheat growers are concerned about a lack of moisture for planting.

### West central Saskatchewan (Crop Districts 6b & 7)

West central harvesting progress		
	% this week	% last week
Winter wheat	96	85
Spring wheat	24	6
Durum	28	2
Oats	11	2
Barley	34	7
Fall rye	95	90
Triticale	3	2
Flax	0	5
Canola	35	8
Mustard	18	3
Sunflowers	0	0
Lentils	76	49
Peas	85	54
Canary seed	10	5
Chickpeas	50	7
<b>Total</b>	<b>36</b>	<b>14</b>

The west central region saw thunderstorms, hail, and a twister this past week. An average of 6 mm of precipitation was reported during the past week, ranging from an average low of 5 mm reported in CD 7b, to an average high of 10 mm reported in CD 7a. Hail and

wind damage were reported across the region. Damage from flooding was reported in the Conquest, Dinsmore, and Herschel areas. Severe hail damage was reported from Herschel, Rosetown, Zealandia, and Outlook. Hail in the Outlook area was reported to be quarter-size. In the Conquest area, the hail and wind damage covered an area 4 to 5 km wide, and 30 km long. In the Rosetown area, the hail storm lasted about 15 minutes with pea-sized hail and also damaged buildings and trees. Loss estimates go up to 100%. Hail in the Herschel area was about 3 to 4 miles wide and also damaged buildings. Smiley also received a large amount of hail and a number of crops will be 100% damaged. The winds scattered swaths and shelled out canola.

Thirty-six per cent of the 2006 west central crop has been harvested, with a further 36% either swathed or ready to straight combine. Fall crops are furthest ahead with 95% of the fall rye and 96% of the winter wheat crops combined. Seventy-six per cent of the lentils, 50% of the chickpeas, and 85% of the peas have been combined.

West central average yields of triticale, mustard, and lentils are expected to be the highest in the province.

Topsoil moisture conditions on cropland improved with the moisture this past week. Seventy-one per cent of reporters rate topsoil moisture conditions on crop land as adequate, compared with 64% last week. Conditions also improved on hay and pasture land with 54% of reporters rating topsoil moisture as adequate

compared to 45% last week.

Insect damage came from sawflies, wheat midge, flea beetles, and aphids. Sawfly damage really shows up when the winds start taking down the crops. Reporters expressed concerns about light bushel weights on some cereals.

Pasture conditions in the west central region are similar to the end of July. Thirty-eight per cent of the reporters rate pastures in good condition, and 9% rate them in poor condition.

Ninety-four per cent of reporters rate livestock water availability as adequate, compared to 97% at the end of July.

### North eastern Saskatchewan (Crop Districts 8 & 9ae)

North eastern harvesting progress		
	% this week	% last week
Winter wheat	93	73
Spring wheat	10	2
Durum	7	0
Oats	14	2
Barley	22	5
Fall rye	96	80
Triticale	n/a	n/a
Flax	0	0
Canola	13	2
Mustard	48	1
Sunflowers	n/a	0
Lentils	55	2
Peas	67	27
Canary seed	8	7
Chickpeas	n/a	n/a
<b>Total</b>	<b>17</b>	<b>4</b>

The north eastern region was generally warm and dry last week, with some isolated showers and thundershowers. An average of 5 mm of precipitation was reported during the past week, with an average high of 9 mm reported in CD 8a.



Hail and wind damage were reported in CD 8a. Golf-ball sized hail was reported in the Codette area.

Seventeen per cent of the 2006 north eastern crop has been combined and a further 46% is swathed or is ready to straight combine. Fall crops are furthest along with 96% of the fall rye crop and 93% of the winter wheat crop combined. Two-thirds of the peas, over half of the lentils, and almost half of the mustard have been combined.

Regional average yields of oats, barley, and canary seed are expected to be the highest in the province.

Ratings for topsoil moisture conditions on cropland deteriorated this past week. Seventy-two per cent of the reporters rated topsoil moisture as adequate, compared to 95% last week. Conditions also deteriorated on hay and pasture land with 76% of reporters rating topsoil moisture as adequate compared to 89% last week.

Sawflies, bertha armyworms, wheat midge, and aphids caused crop damage this past week. Downgrading is expected to result from the midge damage.

Pasture conditions are rated as good to excellent by 50% of crop reporters. In late July, 68% gave that rating. All reporters rate livestock water supplies as adequate.

Some second cut hay was baled. Winter wheat was being seeded.

### North western Saskatchewan (Crop Districts 9aw & 9b)

	% this week	% last week
Winter wheat	100	100
Spring wheat	13	1
Durum	15	0
Oats	8	1
Barley	13	2
Fall rye	100	56
Triticale	25	0
Flax	0	0
Canola	13	3
Mustard	0	0
Sunflowers	n/a	n/a
Lentils	18	0
Peas	68	26
Canary seed	0	0
Chickpeas	n/a	n/a
<b>Total</b>	<b>17</b>	<b>4</b>

The north western region had generally good harvest weather this past week, with some isolated showers. An average of ½ mm of precipitation was reported across the region. Wind damage was reported in the Turtleford area. There was some frost on the grass in the shade one morning in the Spiritwood area, but it was light.

Seventeen per cent of the 2006 north western crop has been combined and a further 38% has been swathed or is ready to straight combine. All of the fall rye and winter wheat have been harvested. Over two-thirds of the peas, and one-quarter of the triticale have been harvested.

Regional average yields of spring wheat, durum, flax, canol, and peas are expected to be the highest in the province, while north western fall rye and lentil yields are expected to be the lowest. In the Lashburn area, the land is wet and there is concern

that grain trucks will have a hard time getting onto the fields. There is a lot of second growth in some crops requiring more desiccation and swathing in crops that would normally be straight combined.

Topsoil moisture conditions on cropland deteriorated during the past week, with 74% of reporters rating topsoil moisture as adequate, compared with 88% last week. Conditions also deteriorated on hay and pasture land with 65% of reporters rating topsoil moisture as adequate compared to 85% last week.

Insect damage came from sawflies and bertha armyworms. Powdery mildew was showing up in peas in the Turtleford area and so were geese.

In late July, 50% crop reporters rated pasture conditions as good to excellent. In late August, 61% give that rating.

Farmers are desiccating crops. Some are working on a second cut of alfalfa.

	% this week	% last week
Winter wheat	98	93
Spring wheat	28	10
Durum	48	17
Oats	23	9
Barley	35	13
Fall rye	99	94
Triticale	74	63
Flax	3	2
Canola	27	10
Mustard	58	34
Sunflowers	0	0
Lentils	89	65
Peas	85	64
Canary seed	10	3
Chickpeas	44	29
<b>Total</b>	<b>38</b>	<b>19</b>

# Weekly Rainfall Summary

(in millimeters)

for the week ending August 26, 2006


Crop Municipality		Past	Since	Crop Municipality		Past	Since	Crop Municipality		Past	Since
Dist. No.	Name	Week	April 1	Dist. No.	Name	Week	April 1	Dist. No.	Name	Week	April 1
A	2 Mount Pleasant	6	205	78 A	Grassy Creek	NIL	143	286	Milden	18	237
	3 B Enniskillen	11	179	78 B	Grassy Creek	NIL	113	314	Dundurn	3	248
	32 Reciprocity	7	126	105	Glenbain	NIL	355	344	Corman Park	NIL	213
	33 A Moose Creek	42	188	106	Whiska Creek	NIL	205	345	Vanscoy	1	248
	33 B Moose Creek	2	237	108	Bone Creek	NIL	154	346	Perdue	NIL	260*
	35 Benson	2	212	3BN	138 Webb	NIL	220	376 A	Eagle Creek	TR	261
	63 A Moose Mountain	TR	217	165	Morse	1	222	376 B	Eagle Creek	NIL	229
	63 B Moose Mountain	1	233	166	Excelsior	TR	230	404	Laird	9	262
	64 Brock	5	228	167	Sask. Landing	3	208	7A	259 Snipe Lake	4	166
	65 Tecumseh	4	229	225	Canaan	TR	195	287	St. Andrews	10	152
1B	91 Maryfield	5	162	226	Victory	5	204	288	Pleasant Valley	33	215
	93 Wawken	1	230	228 A	Lacadena	7	183	292	Milton	3	242
	95 Golden West	NIL	240	228 B	Lacadena	NIL	241	317 C	Marriott	TR	224
	121 Moosomin	6	241*	255	Coteau	13	319	318 A	Mountain View	5	273
	122 Martin	8	253	4A	19 Frontier	NIL	167	318 B	Mountain View	2	252
	123 Silverwood	6	292	49 B	White Valley	NIL	151	321	Prairiedale	20	314
	124 Kingsley	24	250	51	Reno	NIL	149	7B	347 A Biggar	9	272
	125 Chester	NIL	231	79	Arlington	NIL	120	347 B	Biggar	1	177
	151 A Rocanville	7	301	109	Carmichael	NIL	149	350 A	Mariposa	1	164
	151 B Rocanville	35	411	110	Piapot	NIL	135	350 B	Mariposa	10	223
	153 Willowdale	4	240*	111 A	Maple Creek	TR	122*	351	Progress	8	241
	155 Wolseley	NIL	268	4B	139 Gull Lake	NIL	153	352	Heart's Hill	8	228
2A	66 Griffin	1	200*	231	Happyland	NIL	202	377	Glenside	TR	251
	67 Weyburn	NIL	212	232	Deer Forks	1	195	378 A	Rosemount	9	246
	68 Brokenshell	3	218	5A	152 Spy Hill	35	322	378 B	Rosemount	3	196
	69 Norton	TR	226*	183	Fertile Belt	11	298	379	Reford	9	238
	96 Fillmore	8	248	185	McLeod	NIL	209	380	Tramping Lake	7	165
	97 Wellington	20	281	186	Abernethy	TR	224	381	Grass Lake	2	225*
	99 Caledonia	1	215	211	Churchbridge	33	285	382	Eye Hill	1	305
2B	126 Montmartre	10	224	213	Salto coats	2	226	409	Buffalo	2	216
	127 Francis	6	236	216	Tullymet	13	300	410	Round Valley	TR	220
	128 Lajord	2	146	217 B	Lipton	NIL	243	8A	395 Porcupine	7	330
	129 Bratt's Lake	3	205	241	Calder	25	233	397	Barrier Valley	6	364
	131 Baildon	17	286	243	Wallace	12	236	398	Pleasantdale	11	309
	156 A Indian Head	3	235	245 A	Garry	7	249	428	Star City	8	248*
	156 B Indian Head	1	241	245 B	Garry	52	321	456	Arborfield	4	318
	157 South Qu'appelle	NIL	228	246	Ituna Bon Accord	17	276	458	Willow Creek	9	289
	158 Edenwold	1	200	247	Kellross	25	359	486	Moose Range	13	240
	160 Pense	17	243	248	Touchwood	NIL	253	487	Nipawin	18	327
	191 Marquis	10	279	5B	271 Cote	16	221	8B	370 Humboldt	NIL	251
3ASE	8 Lake Alma	5	251	273	Sliding Hills	3	199	371	Bayne	NIL	274
	9 Surprise Valley	2	254	277	Emerald	3	280	372	Grant	1	251
	38 A Laurier	6	252	304	Buchanan	6	266	402	Fish Creek	2	251
	38 B Laurier	8	212	307	Elfros	4	330	429 B	Flett's Springs	NIL	270
	39 A The Gap	2	177	308	Big Quill	1	199	430	Invergordon	NIL	306
	39 B The Gap	TR	189	336	Sasman	1	270	431	St. Louis	1	355
3ASW	10 Happy Valley	NIL	163	338	Lakeside	7	292	459	Kinistino	NIL	246
	12 Poplar Valley	NIL	169	366 A	Kelvington	5	259	9AE	488 Torch River	8	292
	42 Willow Bunch	NIL	196	366 B	Kelvington	24	335	9AW	520 Paddockwood	NIL	375
	43 A Old Post	NIL	156	367	Ponass Lake	20	386	405	Great Bend	NIL	200
	43 B Old Post	NIL	162	367 B	Ponass Lake	10	178	406	Mayfield	NIL	244
	44 Waverley	NIL	252	6A	189 Lumsden	5	306	435	Redberry	NIL	268
	71 A Excel	NIL	203	190 A	Dufferin	6	192	463	Duck Lake	NIL	257
	71 B Excel	NIL	230	190 B	Dufferin	5	286	464	Leask	NIL	328
	71 C Excel	NIL	270	190 C	Dufferin	5	251	466	Meeting Lake	NIL	281
	73 A Stonehenge	NIL	245	219 B	Longlaketon	2	208	467	Round Hill	4	329
	73 B Stonehenge	NIL	247	220	Mckillop	6	287	493	Shellbrook	2	245
3AN	101 B Terrell	4	203	221	Sarnia	1	262	494	Canwood	NIL	321
	102 Lake Johnston	2	200	222	Craik	1	311	496	Spiritwood	2	310
	103 Sutton	NIL	236*	251	Big Arm	4	209	555	Big River	NIL	322*
	132 Hillsborough	NIL	275	252	Arm River	NIL	229	9B	438 A Battle River	3	264
	134 Shamrock	NIL	266	279 B	Mount Hope	NIL	262	438 B	Battle River	NIL	254
	164 Chaplin	NIL	257	280	Wreford	TR	202	472	Wilton	NIL	283
	193 Eyebrow	NIL	299	282	Mccraney	7	248	498 A	Parkdale	NIL	217
	194 Enfield	NIL	222	309	Prairie Rose	1	271	498 B	Parkdale	NIL	208
3BS	17 A Val Marie	NIL	148	339 B	Leroy	5	280	499	Mervin	NIL	253
	17 B Val Marie	NIL	144	340 A	Wolverine	NIL	305	501 A	Frenchman Butte	NIL	207
	45 Mankota	NIL	221	343	Blucher	TR	265	501 B	Frenchman Butte	NIL	198
	75 A Pinto Creek	NIL	203	6B	254 Loreburn	4	234	502	Britannia	NIL	262
	75 B Pinto Creek	NIL	219	283	Rosedale	8	195	561	Loon Lake	NIL	198
	76 A Auvergne	NIL	151	284	Rudy	15	260	588 C	Meadow Lake	NIL	217
	76 B Auvergne	NIL	179	285	Fertile Valley	15	264	622	Beaver River	NIL	218

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R.M.

\* incomplete

Municipality No: A, B, C, and D - more than one reporter

# Crop Districts and Rural Municipalities









# Cumulative Rainfall

From: April 1, 2006

To: August 26, 2006

## Rainfall (mm)




NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Saskatchewan  
Agriculture  
and Food

0 25 50 100 150 200  
Kilometers





Rainfall data - SAF Crop Report Database  
Base Geospatial Data provided under license to SAF,  
© of Information Services Corporation of Saskatchewan

Prepared by: Geomatics Unit Date: August 29, 2006


# Crop Land Topsoil Moisture Conditions

## August 27, 2006



# Hay and Pasture Topsoil Moisture Conditions


## August 27, 2006






# Pasture Conditions

August 27, 2006



Saskatchewan  
Agriculture  
and Food

0 25 50 100 150 200  
Kilometers




Pasture data - SAF Crop Report Database  
Base Geospatial Data provided under license to SAF,  
© of Information Services Corporation of Saskatchewan

Prepared by: Geomatics Unit Date: August 28, 2006




# Availability of Livestock Water

August 27, 2006



# Crop Damage - Drought


## for the week ending August 26, 2006



Damage Reported
  No Damage Reported
  No Data

# Crop Damage - Insects


for the week ending August 26, 2006




Damage Reported
  No Damage Reported
  No Data



**Saskatchewan  
Agriculture  
and Food**



Projection: UTM Zone 12 Datum: NAD83 Spheroid: GRS 1980




Crop damage data - SAF Crop Report Database  
Base Geospatial Data provided under license to SAF,  
© of Information Services Corporation of Saskatchewan

Prepared by: Geomatics Unit Date: August 28, 2006





# Crop Damage - Wind

for the week ending August 26, 2006



Damage Reported
  No Damage Reported
  No Data



Crop damage data - SAF Crop Report Database  
Base Geospatial Data provided under license to SAF,  
© of Information Services Corporation of Saskatchewan

Prepared by: Geomatics Unit Date: August 28, 2006